


ETL-08 SD3 DIAG 30.32 FW:4.75.0000
Aut


26/03/2024 12:38:25


25mm/s
10mm/mV
50Hz ADS 1,5s




HR = 68

aVR
aVL
aVF






HR = 66



[mV]
I
II
III
aVR
aVL
aVF
V1
V2
V3
V4
V5
V6

[uV]	P+	P-	Q	R	S	R	S	T+	T-	ST
I	105	-	-	844	-	-	-	37	-	27
II	87	-	-	1272	-	-	-	129	-	54
III	-	-	-	624	-	-	-	126	-	23
aVR	-	-96	-130	-	-	-	-	-76	-	-42
aVL	60	-	-1009	362	-267	-	-	11	-63	-2
aVF	40	-	-	908	-	-	-	127	-	46
V1	64	-	-1654	41	-	-	-	-	-	39
V2	112	-	-	384	-2102	-	-	347	-	145
V3	71	-	-	590	-471	-	-	89	-	16
V4	60	-	-	1114	-	-	-	97	-	29
V5	59	-	-	1145	-	-	-	95	-	27
V6	50	-	-	1072	-	-	-	101	-	31

STs	SF
[uV/s]	
212	RR
48	P
202	QRS
-128	PQ
195	QT
-27	QTc
-19	axis P
1178	axis QRS
614	axis T
325	
275	
102	



Ngene MFew