



BTL-08 SD3 DIAG 30.32 FW:4.75.0000
Aut

Age:0 Sexe:M masculin 02/05/2023 08:49:55 Médecin CORREA

25mm/s
10mm/mV
50Hz ADS 1.5s




HR = 67




CORREA


HR = 67



HR = 67



HR = 67



[uV]	P+	P-	Q	R	S	R'	S'	T+	T-	ST	STs
I	103	-	-	538	-59	-	-	127	-	11	291
II	101	-	-40	972	-	-	-	236	-	54	-23
III	-	-	-	537	-	-	-	103	-	41	-302
aV/R	-100	-722	-	141	-200	-	-	16	-181	-37	-97
aV/L	56	-	-	734	-	-	-	170	-	49	-129
aV/F	52	-	-	188	-868	-	-	154	-	23	523
V1	50	-	-	422	-375	-	-	273	-	90	372
V2	51	-	-	451	-	-	-	194	-	58	106
V3	56	-	-	1028	-	-	-	238	-	62	106
V4	64	-	-	975	-	-	-	240	-	58	20
V5	63	-	-	840	-	-	-	204	-	43	-125
V6	69	-	-	-	-	-	-	-	-	-	-

SF 70 1/min
RR 862 ms
P 90 ms
QRS 80 ms
PQ 160 ms
QT 374 ms
QTc 402 ms
axis P 36°
axis QRS 60°
axis T 50°

09

02-05-2023

BA2
Libellina

ECG DANS DES LIMITES NORMALES
RYTHME SINUSAL

70 1/min
862 ms
90 ms
80 ms
160 ms
374 ms
402 ms
36°
60°
50°

SF
RR
P
QRS
PQ
QT
QTc
axis P
axis QRS
axis T

STs
[uV/s]

ST

T-

T+

S'

R'

S

R

Q

P-

P+

[uV]

I

II

III

aVR

aVL

aVF

V1

V2

V3

V4

V5

V6

69

63

64

56

51

50

52

56

101

103

103

538

972

537

141

734

188

422

451

1028

975

840

-59

-40

-722

-200

-181

-10

-49

-129

-36

-125

11

54

41

37

90

23

523

372

106

62

58

20

204

236

103

127

170

154

273

194

238

240

204

16

-37

-97

264

291

-23

-302

-10

-49

-129

-36

-125

11

54

41

37

90

23

523

372

106

62

58

20

204

236

103

127

170

154

273

194

238

240

204

16

-37

-97

264

291

-23

-302

-10

-49

-129

-36

-125

11

54

41

37

90

23

523

372

106

62

58

20

204

236

103

127

170

154

273

194

238

240

204

16

-37

-97

264

291

-23

-302

-10

-49

-129

-36

-125

11

54

41

37

90

23

523

372

106

62

58

20

204

236

103

127

170

154

273

194

238

240

204

16

-37

-97

264

291

-23

-302

-10

-49

-129

-36

-125

11

54

41

37

90

23

523

372

106

62

58

20

204

236

103

127

170

154

273

194

238

240

204

16

-37

-97

264

291

-23

-302

-10

-49

-129

-36

-125

11

54

41

37

90

23

523

372

106

62

58

20

204

236

103

127

170

154

273

194

238

240

204

16

-37

-97

264

291

-23

-302

-10

-49

-129

-36

-125

11

54

41

37

90

23

523

372

106

62

58

20

204

236

103

127

170

154

273

194

238

240

204

16

-37

-97

264

291

-23

-302

-10

-49

-129

-36

-125

11

54

41

37

90

23

523

372

106

62

58

20

204

236

103

127

170

154

273

194

238

240

204

16

-37

-97

264

291

-23

-302

-10

-49

-129

-36

-125

11

54

41

37

90

23

523

372

106

62

58

20

204

236

103

127

170

154

273

194

238

240

204

16

-37

-97

264

291

-23

-302

-10

-49

-129

-36

-125